

**PURCHASE ORDER
PHILIPPINE CARABAO CENTER**

Tel. No. : 044-456-0731 to 32 Fax No. : 044-456-0730 Email : vjnaratez01.pcc@gmail.com

Supplier ADVIRA TRADING CORPORATION
Address Better Living Subd., Brgy Don Bosco, Parañaque City
Email Address stefhanie_mataral@adviratradng.com
Telephone No. 09175622525
TIN _____
P.O. No 2021-10-0742
Date October 14, 2021
Mode of Procurement Direct Contracting

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained therein:


Place of Delivery		PCC National Headquarters & Gene Pool, Science City of Muñoz, N.E.			
Date of Delivery		Delivery Terms: 20 weeks Payment Terms: 15 days after full delivery			
Stock No.	Unit	Description	Quantity	Unit Cost	Amount
1	pc	MVE Battery Back Up Replacement and Installation for MVE 1842P-1504F-GB (12 VDC)	4	P42,000.00	P168,000.00
2	pc	MVE TEC 3000 Controller Stand-alone with text display Replacement and Installation for MVE 1842P-1504F-GB	1	P175,840.00	P171,680.00
3	unit	OZONE Oxygen Depletion Monitor - mains powered oxygen monitor. It consists of a main sensor unit and a remote repeater. Pre-set alarm level at 18.0 and 19.5% with 4.20mA output.	1	P171,860.00	P171,960.00
4	set	TE-BMP71 Brady Printer Desktop and portable sign and label printer for Electrical Labeling, Facility Identification and Cable Labeling. Inclusions: 1. BMP71 Series Printer Ribbon. 2. BMP71 FreezerBands Label Printer Labels with 250 labels per box 3. MP-1B, 1R - Labeling C/youmarker Dual point (Colors Black and Red) Specifications: - Battery mAh Rating: 1800 mAh - Battery Weight (meurd) : 0.75 lb - Connectivity Options: USB - Cutter Type: Single Hand Manual Actuate, Straight Cut Display Type: LCD Keyboard Type: QWERTY Memory: 200 MB Stand-Alone & PC Connect Number of Symbols: 500+ Power Supply Voltage: 110-245V Recharge Time: 4 hours Label/Media Format: Cartridge	1	P84,000.00	P84,000.00

NOTE:
 Please notify Property Section regarding the schedule of delivery.
 We accept delivery from Mon-Fri 8am to 5pm (Except holidays)
 2021-08-1634

P.R. No PHICEPS
 BAC Reso 2021-757
 Fund Cluster Regular Agency - GAA (Cryo)

(Total Amount in Words) **SEVEN HUNDRED SEVENTY FIVE THOUSAND FORTY PESOS** **PHP 775,040.00**

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one (1) percent for every day of delay shall be imposed.

Conforme: 
 Signature over Printed Name of Supplier
 CHERRY PEARL RIVERA / JEFFREY LAURENCE E. ANTOLIN
 Accountant
 Date JANUARY 20 2021

Very Truly yours,

 RONNIE D. DOMINGO
 Authorized Official

PHILIPPINE CARABAO CENTER
 Office of The AUDITOR
RECEIVED
 DATE 01 / 29 / 22
 BY: _____

Funds Available:	CHERRY PEARL RIVERA / JEFFREY LAURENCE E. ANTOLIN Accountant	ORS/BURS No. Amount	0021-11-001 EF 067 PHP 775,040.00
Form No: PCC-PROF-02	Revision No: 02	Effectivity Date: January 1, 2019	



Department of Agriculture
PHILIPPINE GARAPAO CENTER
 CERTIFIED ISO 11501:2011 ISO 14001:2015 & ISO 9001:2015

NOTICE OF AWARD

DATE:

ADRIAN P. BADILLA
 ADVIRA TRADING CORPORATION
 Unit-G, 3rd Floor, J&M Building, #10 Dona Soledad Ave.,
 Better Living Subd., Brgy Don Bosco, Parañaque City
 09175622525 | stefhanie-macaraig@adviratrading.com

Dear Mr. Badilla,

Please be informed that based on the results of our evaluation of your offer to undertake the **REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY** with a Total Contract Price amounting to **SEVEN HUNDRED SEVENTY FIVE THOUSAND FORTY PESOS (P 775,040.00)** and as per delivery schedule indicated in your quotation, we are happy to notify you that your offer is acceptable to us and hereby awarded you the project.

Item No.	QTY	Unit	Item Description	Unit Cost	Total Cost	End user
1	4	pc	MVE Battery Back Up Replacement and Installation for MVE 1842P-150AP-GB (12 VDC) Serial # of the tanks that needs to be replaced: <ul style="list-style-type: none"> • CAB21121092219 • CAB2112101152 • CAB2112101151 • CAB2112092217 	P 42,000.00	P 42,000.00	CRYO
2	2	pc	MVE TEC 3000 Controller Stand-alone with text display Replacement and Installation for MVE 1842P-150AP-GB Serial # of the tanks that needs to be replaced: <ul style="list-style-type: none"> • CAB2112101152 • CAB2112092217 	175,840.00	351,680.00	CRYO
3	1	unit	O2NE+ Oxygen Depletion Monitor - mains powered oxygen monitor. It consists of a main sensor unit and a remote repeater. Pre-set alarm level at 18.0 and 19.5% With 4-20mA output.	171,360.00	171,360.00	CRYO

A food-secure Philippines

With Program Budget of P. 1.5 B

T.M.A.R.



Department of Agriculture
PHILIPPINE CARABAO CENTER
 CERTIFIED ISO 9001:2015 / ISO 14001:2015

4	1	1	84,000.00	84,000.00	CRVO
TE-BMP71	Brady Printer	Desklop and portable sign and label printer for Electrical Labeling Facility Identification, General Identification, Healthcare and Hospital Labeling, Laboratory Labeling, and Cable Labeling.			
	Inclusions:				
	1. BMP71 Series Printer Ribbon.				
	2. BMP71 FreezerBondz Label Printer Labels with 250 labels per box				
	3. MP-1B, 1R - Labtag Cryomarker Dual point (Colors Black and Red)				
	Specifications:				
	- Battery mAh Rating: 1800 mAh				
	- Battery Weight (metric) : 0.75 lb				
	- Battery Weight : 340 g				
	- Connectivity Options: USB				
	- Cutter Type: Single Hand Manual Activate, Straight Cut				
	- Display Type: LCD				
	- Keyboard Type: QWERTY				
	- Memory: 200 MB				
	- Stand-Alone & PC Connect				
	- Number of Symbols: 500+				
	- Power Supply Voltage: 110-245V				
	- Recharge Time: 4 hours				
	- Label/Media Format: Cartridge				
	TOTAL				P 775,040.00

In view thereof, kindly signify your conforme by affixing your signature on the space provided below.

Very truly yours,

Ronnie D. Domingo
RONNIE D. DOMINGO
 OIC-Executive Director

Confirmer:
Rita
 (Authorized Representative)
 Date:

A food-secure Philippines
with prosperous farmers and fisherfol



Department of Agriculture
PHILIPPINE CARABAO CENTER
CERTIFIED ISO 9001 | ISO 14001 | OHSAS 18001

NOTICE TO PROCEED

DATE:

ADRIAN P. BADILLA
 ADVIRA TRADING CORPORATION
 Unit-G, 3rd Floor, J&M Building, #10 Dona Soledad Ave.,
 Better Living Subd., Brgy Don Bosco, Paranaque City
 09175622525 | stefhanie.macaraig@adviratrading.com

Dear Mr. Badilla,

The attached Contract Agreement/ Purchase Order having been approved, notice is hereby given to **ADVIRA TRADING CORPORATION** that work may commence for the **REPLACEMENT OF VARIOUS MYE EQUIPMENT AT CRYOBANK FACILITY** effective upon acknowledgement of this notice, subject to such additional time for the completion of the work as may be allowed by the Agency.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Agreement and in accordance with the implementation schedule.

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below, keep one copy and return the other to the Philippine Carabao Center

Very truly yours,

RONNIE D. DOMINGO
RONNIE D. DOMINGO
 OIC-Executive Director

Acknowledged:

[Signature]
 (Authorized Representative)
 Date: _____

A food-secure Philippines
with prosperous farmers and fisherfolk



RECOMMENDING AWARD OF CONTRACT FOR THE REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY

WHEREAS, on 31 August 2021, OIC Executive Director RONNIE D. DOMINGO, as Head of Procuring Entity (HOPE), approved the Annual Procurement Plan (APP) of the agency upon favorable recommendation of the Bids and Awards Committee (BAC);

WHEREAS, included in the APP is the **REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY** to be undertaken through Section 50 (Direct Contracting) of the Revised Implementing Rules and Regulations of Republic Act No. 9184 under the GAA Fund;

WHEREAS, the **REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY** was identified to be procured thru Direct Contracting whereby the supplier is simply asked to submit price quotation together with the conditions of sale and the said procurement of goods were critical components from a specific supplier and has a condition to hold a contractor/supplier to guarantee its performance;

WHEREAS, considering all other factors of procurement and with due consideration with the needs of the operating unit in the performance of their commitments and targets, the adoption of the alternative methods of procurement is more advantageous to the government;

WHEREAS, the item requested was identified to be procured thru Direct Contracting based on the document/justification submitted by the end-user that:

- a) The replacement existing equipment is necessary to maintain the quality of the cryotank for the storage of cryopreserved semen samples in line with the continuous operations of the Cryobank Unit; and
- b) ADVIRA TRADING CORPORATION is the exclusive supplier of MVE brand equipment in the Philippines.

WHEREAS, the **REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY** has the following Approved Budget for the Contract (ABC) as follows:

Item No.	Item Description	ABC per Line Item/Lot (P)
1	REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY (OXYGEN MONITOR, BATTERY, CONTROLLER & BRADY PRINTER)	P 775,040.00

WHEREAS, on 7 September 2021, the BAC thru its Secretariat/Procurement Office, initiated the procurement activity by sending/posting Request for Quotation (RFQs) to ADVIRA TRADING CORPORATION;

WHEREAS, ADVIRA TRADING CORPORATION submitted their respective quotation/proposal;

WHEREAS, the Technical Working Group (TWG) determined that based on the financial proposal submitted by the supplier, **ADVIRA TRADING CORPORATION** has submitted the single calculated quotation for the REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY;

At
M. Gary A. ...
A food-secure and resilient Philippines
with empowered and prosperous farmers and fisherfolk
M...

WHEREAS, upon review and evaluation of the compliance with the technical requirements of the end-user/project, the TWG recommended to declare **ADVIRA TRADING CORPORATION** as the single calculated and responsive quotation;

WHEREAS, the report containing the results of the TWG evaluation is attached hereto as Annex "A", and made integral parts hereof;

WHEREAS, after review of the findings, the BAC resolved to consider the recommendation of the TWG;

NOW, THEREFORE, WE, the Members of the **BIDS AND AWARDS COMMITTEE** after duly considering the recommendations of the TWG, hereby resolve to recommend to the Head of the Procuring Entity for his considerations and approval of the contract to **ADVIRA TRADING CORPORATION** for the REPLACEMENT OF VARIOUS MVE EQUIPMENT AT CRYOBANK FACILITY in the amount of **Seven Hundred Seventy-Five Thousand and Forty Pesos (P 775,040.00)**.

This resolution shall take effect immediately.

APPROVED this 14th day of October, 2021 at Philippine Carabao Center, National Headquarters and Gene Pool, Science City of Munoz, Nueva Ecija.

BIDS AND AWARDS COMMITTEE


LERMA C. O. CAMPO
Vice Chairperson


JEFFREY JEROME M. HALAONG
Member


ERIC P. PALACAPAC
Chairperson



AIMEE T. FULGENCIO
Member


ESTER B. FLORES
Member

Attested by:


NOEMI V. BALAJIS
Head, BAC Secretariat

Approved by:


RONNIE D. DOMINGO
OIC, Executive Director
BAC Reso No. 2021-757