



Department of Agriculture
PHILIPPINE CARABAO CENTER
CERTIFIED:ISO 9001 | ISO 14001 | ISO 45001

BIDDING DOCUMENTS

(EPA 2023) SUPPLY AND DELIVERY OF ICT SUPPLIES

(Identification No. PB 2022-86)

Approved Budget for the Contract: P 1,975,000.00

November 2022

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the *“name of the Procuring Entity”* and *“address for bid submission,”* should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign- Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	5
Section I. Invitation to Bid.....	8
Section II. Instructions to Bidders.....	12
1. Scope of Bid	13
2. Funding Information.....	13
3. Bidding Requirements	13
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	14
5. Eligible Bidders.....	14
6. Origin of Goods	15
7. Subcontracts	15
8. Pre-Bid Conference	16
9. Clarification and Amendment of Bidding Documents	16
10. Documents comprising the Bid: Eligibility and Technical Components	16
11. Documents comprising the Bid: Financial Component	17
12. Bid Prices	17
13. Bid and Payment Currencies	18
14. Bid Security	18
15. Sealing and Marking of Bids	19
16. Deadline for Submission of Bids	19
17. Opening and Preliminary Examination of Bids	19
18. Domestic Preference	20
19. Detailed Evaluation and Comparison of Bids	20
20. Post-Qualification	21
21. Signing of the Contract	22
Section III. Bid Data Sheet	23
Section IV. General Conditions of Contract	25
1. Scope of Contract	26
2. Advance Payment and Terms of Payment	26
3. Performance Security	26
4. Inspection and Tests	27
5. Warranty	27
6. Liability of the Supplier	27
Section V. Special Conditions of Contract	28
Section VI. Schedule of Requirements	33
Section VII. Technical Specifications	35
Section VIII. Checklist of Technical and Financial Documents	39

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related

construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

INVITATION TO BID
ITB/Identification No. PB 2022-86

(EPA 2023) SUPPLY AND DELIVERY OF ICT SUPPLIES

1. The **PHILIPPINE CARABAO CENTER**, through the **GAA 2023 Fund** intends to apply the sum of **One Million Nine Hundred Seventy-Five Thousand Pesos (P 1,975,000.00)** being the ABC to payments under the contract for **(EPA 2023) SUPPLY AND DELIVERY OF ICT SUPPLIES** under **ITB/Identification No. PB 2022-86**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The **PHILIPPINE CARABAO CENTER** now invites bids for the above Procurement Project. Completion of delivery/Works/Services is required within **60 calendar days** as specified in the Schedule of Requirements. Bidders should have completed, within **five (5) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **PHILIPPINE CARABAO CENTER** and inspect the Bidding Documents at the address given below during Monday to Friday (8am-5pm) except weekends and holidays.
5. A complete set of Bidding Documents may be acquired by interested Bidders **on November 2-22, 2022** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Three Thousand Pesos (P 3,000.00) non-refundable**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person, by facsimile, or through electronic means not later than the submission of their bids.

We encourage bidders to download the bidding documents through PhilGEPS or the PCC Website and pay through bank. Please coordinate with the BAC Secretariat Office through the email address and contact number given below for the bank detail procedures.

6. The **PHILIPPINE CARABAO CENTER** will hold a Pre-Bid Conference on **November 10, 2022 (10am)** at **EUSEBIO HALL, PHILIPPINE CARABAO CENTER**, National Headquarter and Gene Pool, Science City of Muñoz, Nueva Ecija through web conference platform via Zoom.

A Personal Meeting ID will be sent through email for each participant at least one day before the event. Prospective bidders need to signify their intention to participate by sending an email to noemi.balais@pcc.gov.ph

7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **November 22, 2022 (9am)**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **November 22, 2022 (10am)** at the given address below through web conference platform via Zoom (face to face for the BAC).

A Personal Meeting ID will be sent to participants through email who submitted bid proposals.

10. The **PHILIPPINE CARABAO CENTER** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. The PHILIPPINE CARABAO CENTER Bids and Awards Committee (BAC) will use a non-discretionary and non-discriminatory measure based on sheer luck or chance, which is “draw lots”, in the event that two or more bidders have been post-qualified and determined as the bidder having the Lowest Calculated Responsive Bid (LCRB) to determine the final LCRB (In alphabetical order, the bidders shall pick one rolled paper. The lucky bidder who would pick the paper with “Congratulations” remark shall be declared as the final bidder having LCRB and recommended for award of the contract.)

12. Please refer to the following schedule of activities:

Activity	Date	Remarks
Availability of Bidding documents	November 22-22, 2022	Downloadable through PhilGEPs, PCC Website and can be requested through email (noemi.balais@pcc.gov.ph) Available and ready for pick-up at the PCC main gate through the security guard assigned for the day after the payment/deposit has been validated by the PCC Cashier.
Payment of Bidding Documents	November 22-22, 2022	Prospective Bidders may pay the bidding documents through bank deposit to: Bank Name/Branch: Land Bank of the Philippines-CLSU Bank Account No. 2962-1020-37 Account Name: PHILIPPINE CARABAO CENTER Prospective Bidders must email the scanned copy of deposit slip to BAC Secretariat Office with the following details: <ul style="list-style-type: none">▪ Project Title▪ Company Name with Contact Information BAC Secretariat Office: noemi.balais@pcc.gov.ph PCC Cashier's Office will issue Official Receipt after the validation/confirmation of the bank deposit.
Pre-bid Conference (Online)	November 10, 2022 (10am)	A Personal Meeting ID will be sent through email for each participant at least one day before the event. Prospective bidders need to signify their intention to participate by sending an email to noemi.balais@pcc.gov.ph
Deadline for the submission of bids	November 22, 2022 (9am)	Late bids shall not be accepted. Through personal delivery or through courier at the PCC BAC Secretariat Office/PCC main gate. Bidders must ensure that the Bid Proposals are properly delivered and received by the BAC Secretariat Office on or before the deadline of submission.
Bid Opening (Online)	November 22, 2022 (10am)	A Personal Meeting ID will be sent to participants through email who submitted bid proposals on time.

12. The PHILIPPINE CARABAO CENTER (PCC) does not condone any forms of solicitation on any prospective winning and losing bidders by any of our staff/employees or any other party. Any sort of this kind shall be reported immediately to PCC (pccoed2021@gmail.com).

13. For further information, please refer to:

MS. NOEMI V. BALAIS

Head, BAC Secretariat Office
PHILIPPINE CARABAO CENTER
National Headquarters and Gene Pool
Science City of Munoz, Nueva Ecija
Email: noemi.balais@pcc.gov.ph
Contact No.: 0917 824 4374
Website: www.pcc.gov.ph

(SGD) ERIC P. PALACPAC

Chairperson, Bids and Awards Committee

November 2, 2022

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **PHILIPPINE CARABAO CENTER** wishes to receive Bids for the **(EPA 2023) SUPPLY AND DELIVERY OF ICT SUPPLIES** with ITB/Identification Number **PB 2022-86**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is composed of **ICT Supplies** the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below in the amount of **One Million Nine Hundred Seventy-Five Thousand Pesos (P 1,975,000.00)**

2.2 The source of funding is: **GAA Fund**

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the

2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have a Single Largest Completed Contract (SLCC) that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **twenty-five percent (25%) of the ABC amounting to **P 493,750.00****
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. **Subcontracting is not allowed.**
- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address **Eusebio Hall, PHILIPPINE CARABAO CENTER, National Headquarters and Gene Pool, Science City of Muñoz, Nueva Ecija** through web conference platform via Zoom as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within the last **Five (5) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23

May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed

in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: **Philippine Pesos**.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid **One Hundred Twenty (120) calendar days from the date of Bid Opening**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. **The Project shall be awarded by LINE ITEM**

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at

least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
5.3	<p>The Bidder must have a single contract similar to the project.</p> <p>a) Similar Contract:</p> <p style="text-align: center;">Project/s related to supply and delivery ICT related supplies and equipment</p> <p>b) Completed within the last Five (5) years prior to the deadline for the submission and receipt of bids.</p>
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted delivered duty paid (DDP) to the PHILIPPINE CARABAO CENTER.
14.1	<p>The bid security shall be in any of the following forms and amounts:</p> <p>a. Bid Securing Declaration with ITB/Identification No. (see attached form) or</p> <p>b. The amount of not less than P 39,500.00 equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</p> <p>c. The amount of not less than P 98,750.00 equivalent to five percent (5%) of ABC] if bid security is in Surety Bond.</p>
19.3	<p>The project will be awarded by LINE ITEM</p> <p style="text-align: center;">(EPA 2023) SUPPLY AND DELIVERY OF ICT SUPPLIES Approved Budget for the Contract: P 1,975,000.00</p>
20.2	<p>Post-Qualification documents</p> <ol style="list-style-type: none"> 1. Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) 2. Other appropriate licenses and permits as required by law <p>The bidder with the Lowest Calculated Bid (LCB)/Single Calculated Bid (SCB) must submit the document/s to the BAC Secretariat Office within five (5) calendar days from the bid opening</p>
21.1	No other contract documents required.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the Special Conditions of Contract (SCC).

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier

in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a) Information that complements provisions of the GCC must be incorporated.
- b) Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered to <u>PCC-OED</u>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered to <u>PCC-OED</u>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project site is MS. MARY LEI B. BAUTISTA (0917 808 0416)</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- f. *[Specify additional incidental service requirements, as needed.]*

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of *[indicate here the time period specified. If not used indicate a time period of three times the warranty period]*.

Spare parts or components shall be supplied as promptly as possible, but in any case, within *[insert appropriate time period]* months of placing the order.

	<p>Packaging -</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows: Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation -</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p>

	<p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights -</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p>The terms of payment shall be as follows:</p> <p>Upon completion and final acceptance of the end-user</p>
4	<p>Inspection and test if applicable.</p>

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

	Unit	General Description	Qty	Unit Price	Total price	End-user
1	piece	1TB NV1 SNVS/1000G NVME M.2 PCIe SOLID STATE DRIVE	10	6,750.00	67,500.00	ICTS
2	piece	250GB SKC2500M8 M.2 NVME PCIE SSD	10	4,000.00	40,000.00	ICTS
3	piece	480GB A400 Sata3 2.5-inch SSD SA400S37 for Computer Desktop PC and Laptop	10	4,200.00	42,000.00	ICTS
4	piece	8 port 10/100 Desktop Switch	10	1,150.00	11,500.00	ICTS
5	piece	AC1300 Dual Band Wi-Fi Router with MU-MIMO and Parental Controls	15	5,000.00	75,000.00	ICTS
6	piece	AVR, 3000VA, Heavy duty, w/ 140V-250V	1	6,280.00	6,280.00	CASH
7	piece	AVR, 5000W WITH METER, Heavy duty w/ 110-240V	5	8,700.00	43,500.00	ABGS
8	unit	AVR, 5Kva Automatic Voltage Regulator 5000W Servo Motor W/ Time Delay Specifications: 5KVA 5000VAAC Automatic Voltage Regulator. Maximum Power Output: 5000VA. Servo Motor Control. Input Voltage: 190-250V AC. Output voltage: 110V & 220V AC. Single Phase, 60Hz. Premium Quality. 100% Pure Copper Wire Motor	4	20,000.00	80,000.00	BES

9	piece	<p>Bluetooth headset Bluetooth compliance Bluetooth version 4.0 Paired devices Up to 8, connected to two at the same time (MultiUse™) Supported Bluetooth profiles A2DP(v1.2), Hands Free Profile (v1.6), Headset profile(v1.2),Phone book access profile (v1.0) Supported modes EDR (2 and 3 Mb), SCO, eSCO, sniff mode Security 128 bit encryption Operating range when connected to mobile phone 10 meters (33 feet). When connected to USB dongle 30 meters (98 feet) range to PC* Talk time Up to 6 hours Standby time Up to 10 days Charging time Approximately 2 hours Wearing style In-ear wearing style Weight 7.9 g (0.28 oz) Headset only Dimensions, main unit L 64.9mm x W 15.3mm x H 24.9mm Microphone SLR = 14 dB +/- 3 dB 4 mm omni-directional microphone, 300-3.400 Hz Speaker RLR = -2 dB +/- 3 dB 32 Ω Operating temperature -10° C to 55° C (14 F to 131 F)</p>	20	4,900.00	98,000.00	OPER-7, RPS-2, CASH-1, MLO-2, AI-3, GSS-5,
		<p>Storage temperature -20° C to 70° C (-4 F to 158 F)AC power supply 100-240 V, 50-60 HzCharging plug dimensions 5 PIN micro USB / B Type / W 8.7 x L 5.0 x H 2.4 mm (W 0.34 x L 0.2 x H 0.1 in)materials Polycarbonate (PC), Polycarbonate + acryl butadien styren (PC + ABS), Silicon RubberPairing passkey or PIN 0000Features Answer call, end call, reject call*, voice dialling*, last number redial*, volume control,status display™ displaying connection and battery status, voice guidance, multiuse™What's in the box? 1 headset, 2 sets of ultimate comfort eargels™, 2 size earhooks, 1 quick startguide, 1 warranty leaflet and 1 register paper, 1 USB dongleCertification Bluetooth 4.0, CE, FCC, IC, GOST, RoHS, REACH</p>				

10	piece	Bluetooth Speaker Bluetooth 4.0 or higher, Speaker phone function, water resistant (atleast IPX5), AUX input, TWS Function, Battery life : atleast 10 hours, suitable for office use	6	2,900.00	17,400.00	RDD-1, PDIS-1, LCES-4
11	piece	Bluetooth Speaker Portable Wireless Speaker with Rich Bass & 6W HD Sound Bluetooth Version: v5.0 Bluetooth Profiles: HFP, A2DP Battery Capacity: 1200mAh Battery Type: Lithium-Ion Power Input: DC 5V Speaker Output: 3W*2 Impedance: 4Ω Operating Distance: 10m Music Playback Time: 2-3 Hours Charging Time: 3-4 Hours	6	950.00	5,700.00	GSS
12	piece	EXTENSION CORD, 4 flat outlet with ground 5 meters cord, voltage surge protector, extension wire cable reel	9	2,700.00	24,300.00	RDD-1, RPS-2, SEPS-1, PSNS-1, GSS-4
13	piece	EXTENSION CORD, 6 flat outlet with ground, 5 meters cord, voltage surge protector, Extension wire cable reel	15	1,800.00	27,000.00	OPER-1, RPS-3, OED/ODED -3, MLO-3, AI-1, GSS-4
14	piece	EXTENSION WHEEL. 15 Meter Cord	7	1,445.00	10,115.00	MLO-3, ABGS-1, GSS- 2,PSNS-1
15	piece	FLASH DRIVE, 16GB, USB 3.0, OTG/Dual	87	520.00	45,240.00	RDD-2, OED/ODED -5, LECS-80
16	piece	FLASH DRIVE, 32GB, USB 3.0 OTG/Dual	13	850.00	11,050.00	RPS-2, PDIS-4, MLO-2, GP- 5
17	piece	FLASH DRIVE, 64GB, USB 3.0 OTG/Dual	12	1,550.00	18,600.00	SEPS-1, GSS-6, LECS-5

18	pcs	Gimbal for DSLR Camera Gimbal Load Capacity 6.6 lb / 3 kg Number of Axes 3-Axis (Pitch, Roll, Yaw) Rotation Range Yaw (Pan): 360° Pitch (Tilt): -240 to 95° Roll: -112 to 214° Connectivity Inputs/Outputs 3 x USB Type-C Wireless Frequency 2.4 GHz (2.4 - 2.483) Wireless Protocol Bluetooth 5.0 Battery Battery Type 2 x 18650 Battery Capacity 3400 mAh / 24.48 Wh Battery Runtime 14 Hours Environmental Operating Temperature -4 to 113°F / -20 to 45°C General Materials Aluminum Mounting 1 x 1/4"-20 Female 1 x Cold Shoe Mount 2 x NATO Rail 4 x M4 Female Dimensions 15.7 x 7.3 x 6.9" / 40 x 18.5 x 17.5 cm 10.2 x 8.3 x 3" / 26 x 21 x 7.5 cm (Folded) Weight 2.681 lb / 1.216 kg (without Battery) 2.906 lb / 1.318 kg (with Camera Plate) Packaging Info Package Weight 4.95 lb Box Dimensions (LxWxH) 12.3 x 11 x 4.2"	1	20,000.00	20,000.00	ACS
19	unit	Graphic illustration drawing tablet Wacom DTC133W0A with screen, 13.3 Inch Graphics Display for art and animation beginners, brand wacom, color black and white	1	12,224.00	12,224.00	ACS
20	unit	Hard drive 2.5-inch consumer drives typically spin at 4200, 5200, 5400 and 7200 RPMs	2	2,699.00	5,398.00	ACS
21	piece	HARD DRIVE/DISK, external, portable, 2TB, USB 3.0	11	4,950.00	54,450.00	ICTS-4, RDD-2, PDIS-2, MLO-2, GP- 1
22	piece	HARD DRIVE/DISK, external, portable, 4TB, USB 3.0	4	7,400.00	29,600.00	LECS
23	piece	Headphones, Noise Cancellation / Reduction, Noise Isolating, Built-in Microphone, Answer / End Call, Volume Control, Precision, High Resolution, Audio Quality	6	2,400.00	14,400.00	SEPS-2, BES-4
24	piece	KEYBOARD Wireless	15	1,045.00	15,675.00	SEPS-2, OED/ODED -5, MLO- 2, GSS-6

25	piece	<p>LAMINATING machine heavy duty Laminating Speed: 50Hz:460mm/min, 60Hz:560mm/min Laminating Width: 230mm Laminating Films: 75mic~250mic Thickness of substrate(Paper): 80g/nf ~250g/nf Power Requirements: 220~240V, 50/60Hz</p> <p>Power Consumption: 470W, 2.0A Heating System: Heat Plate (Ruthnox) Operating Temperature: 150 Max. Speed Control: Fixed Temperature Control: Knob & Volume Dimensions(WxLxH): 425 x 185 x 95mm Type of Main Motor: Synchronous Motor-S</p>	1	10,000.00	10,000.00	LECS
26	unit	<p>Laptop Operating System: Windows 11 Home - ASUS recommends Windows 11 Pro for business• Office: Office Home and Student 2021 included• LCD cover-material: Aluminum• LCD cover-color: Indie Black• Top case- material: Plastic• Top case- color: Indie Black• Bottom case-material: Plastic• Bottom case-color: Indie Black• Panel Size: 15.6-inch• Resolution: FHD (1920 x 1080) OLED 16:9 aspect ratio• Backlit: LED Backlit• Response time: 0.2ms response time• Peak Brightness: 600nits peak brightness• Color gamut: 100% DCI-P3 color gamut• Contrast ratio: 1,000,000:1</p>	2	49,995.00	99,990.00	PDIS

		<p>VESA CERTIFIED Display HDR: VESA CERTIFIED Display HDR True Black 600</p> <ul style="list-style-type: none"> • Color depth: 1.07 billion colors • Pantone: PANTONE Validated • Glare: Glossy display • Low blue light: 70% less harmful blue light • SGS Eye Care Display: SGS Eye Care Display • Screen-to-body ratio: 85 % • Processor: Intel® Core™ i5-1135G7 Processor 2.4 GHz (8M Cache, up to 4.2 GHz, 4 cores) • Discrete/Share: Share • Intergrated: GPU Intel Iris X^e Graphics (available for Intel® Core™ i5/i7/i9 with dual channel memory) • How to upgrade memory: "Upgradable" <ul style="list-style-type: none"> • Need to remove bottom/top case" • Expansion Slot(includes used): 1x DDR4 SO-DIMM slot <ul style="list-style-type: none"> • 1x M.2 2280 PCIe 3.0x2 • 1x STD 2.5" SATA HDD" • Total System Memory: 4GB DDR4 on board + 4GB DDR4 SO-DIMM • On board memory: 4GB DDR4 on board • DIMM Memory: 4GB DDR4 SO-DIMM • Storage: 512GB M.2 NVMe™ PCIe® 3.0 SSD • Front-facing camera: 720p HD camera • Wireless: Wi-Fi 6(802.11ax)+Bluetooth 5.0 (Dual band) 2*2 				
--	--	---	--	--	--	--

		<p> <ul style="list-style-type: none"> • FingerPrint: FingerPrint • I/O ports: "1x USB 3.2 Gen 1 Type-A • 1x USB 3.2 Gen 1 Type-C • 2x USB 2.0 Type-A//1x HDMI 1.4 • 1x Headphone out//Micro SD card reader • Micro SD 4.0 card reader" • Audio: "Audio by ICEpower® • Built-in speaker • Built-in microphone//harman/kardon (Mainstream)" • Voice control: with Cortana support • AC Adapter: ø4.0, 65W AC Adapter, Output: 19V DC, 3.42A, 65W, Input: 100~240V AC 50/60Hz universal • Battery: 42WHrs, 3S1P, 3-cell Li-ion • Replaceable Battery: No • Keyboard type: Backlit Chiclet Keyboard with Num-key • Security: BIOS Booting User Password Protection • Trusted Platform Module (Firmware TPM) <p>DIMENSIONS• 35.90 x 23.50 x 1.79 ~ 1.79 cm</p> <p>Weight (with Battery): 1.80 kg</p> <p>Weight (without Battery): 1.70 kg-----</p> <p>-----</p> <p>WARRANTY• 2-Years Manufacturers Warranty</p> </p>				
--	--	---	--	--	--	--

27	piece	<p>Laptop</p> <ul style="list-style-type: none"> - Color: Cool Silver - Operating System: Windows 10 Home - ASUS recommends Windows 10 Pro for business - Processor: Intel® Core™ i5-11300H Processor 3.1 GHz (8M Cache, up to 4.4 GHz, 4 cores) - Display: 14.0-inch, 2.8K (2880 x 1800) OLED 16:10 aspect ratio, 0.2ms response time, 90Hz refresh rate, 600nits peak brightness, 100% DCI-P3 color gamut, 1,000,000:1, VESA CERTIFIED Display HDR True Black 600, 1.07 billion colors, PANTONE Validated, Glossy display, 70% less harmful blue light, SGS Eye Care Display, Screen-to-body ratio: 84 % - Memory: Total system memory:8GB - Storage: 512GB M.2 NVMe™ PCIe® 3.0 SSD - I/O Ports: 1x USB 3.2 Gen 1 Type-A - 2x USB 2.0 Type-A - 1x Thunderbolt™ 4 supports display / power delivery - 1x HDMI 1.4 - 1x 3.5mm Combo Audio Jack - 1x DC-in - Micro SD card reader - Keyboard & Touchpad: Backlit Chiclet Keyboard - 35mm Key-travel - Camera: 720p HD camera - With privacy shutter 	1	49,500.00	49,500.00	CBED
		<p>Audio: Built-in speaker- Built-in array microphone- Harman/Kardon (Mainstream)- Network and Communication: Wi-Fi 6(802.11ax)+Bluetooth 5.0 (Dual band) 2*2- Battery: 63WHrs, 3S1P, 3-cell Li-ion- Power Supply: ø4.5, 65W AC Adapter, Output: 19V DC, 3.42A, 65W, Input: 100~240V AC 50/60Hz universal- Weight: 1.40 kg (3.09 lbs)- Dimensions (W x D x H): 31.74 x 22.85 x 1.92 ~ 1.93 cm (12.50" x 9.00" x 0.76" ~ 0.76")</p>				
28	piece	Laptop Cooling pad, with fan, materials plastic	7	1,000.00	7,000.00	OED/ODED -3, GSS-4

29	UNIT	<p>LAPTOP, Lightweight Operating System Windows 10 Professional 64bit CPU and Chipset Intel Corei5 1135G7 Based Clock Speed 2.40GHZ, 8MB Cache, 4- Physical Cores, 8 Threads, Turbo Core Speed 4.20GHZ, 11th Generation Memory 16GB (1x16GB) DDR4 2666MHZ, Two (2) Memory Slots, Expandable Up to 32GB Display 14.0" display with IPS (In-Plane Switching) technology, Full HD 1920 x1080, high-brightness Acer ComfyView LED-backlit TFT LCD 16:9 aspect ratio, Wide viewing angle up to 170 degrees, Mercury free, environment friendly Graphics Intel® Iris® Xe Graphics Audio Two built-in stereo speakers, Built-in microphone Storage 512GB PCIe NVMe SSD Webcam 720p (1280 x 720 resolution) Wireless and networking LAN: Gigabit Ethernet 10/100/1000, Wake-on-LAN ready WLAN: 802.11a/b/g/n/acR2+ax Dual Band (2.4GHz and 5GHz) 2x2 MU-MIMO technology Supports Bluetooth® 5.1 Dimensions 325 (W) x 236 (D) x 17.9 (H) mm (12.8 x 9.29 x 0.7 inches)</p>	4	46,800.00	187,200.00	RDD-1, REC-1, BDCU-1, IAS-1
----	------	---	---	-----------	------------	--------------------------------------

		<p>Weight 1.4kg Power adapter 65W AC adapter Battery 56Wh 3-cell Li-ion battery Battery Life Up to 15 hours (based on MobileMark® 2014 test results) Input and Control Keyboard: FineTip Backlit keyboard with international language support (backlitpre-default inside the system) Touchpad: Multi-gesture touchpad, supporting two-finger scroll; pinch; gestures to open Cortana System Compliance Energy Star 8.0 Color Dark Blue Warranty 3 Years Parts - 3 Years Labor Only with International Warranty 1 year warranty on battery Supplier shall respond within 24/7 Technical Assistance/Support Center which can provide response to technical issues via Telephone Call, E-mail or Site Visit (for NCR) upon verbal/written notification by the end-user agency Others Built in Security Software Accessories Laptop Bag</p>				
30	piece	LASER POINTER, wireless	2	2,650.00	5,300.00	AI
31	piece	LCD Projector, Gesture Presenter Multi-PC Projection 2 x HDMI Split Screen WXGA Resolution White and Colour Light Output at 5,000 lumens	1	49,990.00	49,990.00	LECS
32	unit	Manage Network Switch, Specs : Aruba Instant On 1930 24G 4SFP/SFP+ Switch (JL682A)	1	20,000.00	20,000.00	ABGS
33	piece	MOUSE Wireless	22	1,050.00	23,100.00	RDD-1, RPS-1, SEPS-2, ABGS-5, GSS-5, PDIS-2, BDCU-2, IAS-2, MLO-2

34	unit	MULTIMEDIA PROJECTOR, 4000 ANSI Lumens (min.) Optical System: Digital Light Projection (DLP) Light-Output-Bright / Eco (Lumens): Up to 4000 Lamp Life: 8000 hours Data Input Signal: VGA to WUXGA Video Input Signal: NTSC, PAL, SECAM, SD, HD Image Input HDMI: 1.4x1, VGA x1, S-VIDEO x1 Native Resolution: XGA (1024x768) Contrast Ratio: DLP: 2000:1 (min)30000:1 Lens Type:Manual Zoom & Focus Accessories: -With power cable -VGA cable -Remote control -CDs and User's Manual (Hard copy and Soft copy) -Carrying case -Wall or tripod screen (60x60) with warranty	1	16,588.00	16,588.00	ACS
35	box	Network Cable, Specs : Belden Cat6 Network Cable 305m/1000ft	2	11,000.00	22,000.00	ABGS

36	unit	<p>PRINTER: Printer Type: Print, Scan, Copy, Fax with AD Printing Technology: Print Method:On-demand inkjet (Piezoelectric) Printer Language:ESC/P-R, ESC/P Raster Nozzle Configuration:180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution:5760 x 1440 dpi Automatic 2-sided Printing:No Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *1:Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2 Draft, A4 (Black / Colour):Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour):Up to 10 ipm / 5.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour):Approx. 10 sec / 16 sec*2 Copying: Maximum Copies from Standalone:99 copies Reduction / Enlargement:25 - 400 % Maximum Copy Resolution:600 x 600 dpi Maximum Copy Size:Legal ISO 29183, A4 Simplex Flatbed (Black / Colour):Up to 7.7 ipm / 3.8 ipm Scanning: Scanner Type:Flatbed colour image scanner Sensor Type:CISOptical Resolution:1200 x 2400 dpi Maximum Scan Area:216 x 297 mm Scanner Bit Depth (Colour):48-bit input, 24-bit output Scanner Bit Depth (Grayscale):16-bit input, 8-bit output Scanner Bit Depth (Black & White):16-bit input, 1-bit output Scan Speed: Scan Speed (Flatbed / ADF (Simplex)):200dpi, Black: 12 sec / Up to 4.5 ipm 200dpi, Colour: 29 sec / Up to 4.5 ipm ADF Specifications: Support Paper Thickness:64 - 95 g/m2</p>	1	15,000.00	15,000.00	CRYO
----	------	--	---	-----------	-----------	------

		<p>Paper Capacity:30 pages (A4), 10 pages (Legal)</p> <p>Fax Function:</p> <p>Type Of Fax:Walk-up black-and-white and colour fax capability</p> <p>Receive Memory / Page Memory:1.1 MB, Page memory up to 100 pages</p> <p>Error Correction Mode:ITU-T T.30</p> <p>Fax Speed (Data Transfer Rate):Up to 33.6 kbps, Approx. 3 sec/page</p> <p>Fax Resolution:Up to 200 x 200 dpi</p> <p>Transmission Paper Size (Flatbed):Letter, A4</p> <p>Transmission Paper Size (ADF):A4, Letter, 8.5 x 13", Legal, Oficio 9, Mexico-Oficio, Indian-Legal</p> <p>Receiving Paper Size:A4, Letter, Legal</p> <p>Speed Dial / Group Dial:Up to 100 numbers, 99 groups</p> <p>Fax Features:PC Fax (Transmission / Receive</p>				
--	--	---	--	--	--	--

		<p>Paper Handling: Number of Paper Trays:1 Standard Paper</p> <p>Input Capacity:Up to 100 sheets of Plain paper (80 g/m2) Up to 20 sheets of Premium Glossy Photo Paper</p> <p>Output Capacity:Up to 30 sheets of Plain Paper (80 g/m2) Up to 20 sheets Premium Glossy Photo Paper</p> <p>Maximum Paper Size:215.9 x 1200 mmPaper Size:Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6 Print Margin:0 mm top, left, right, bottom via custom settings in printer driver *3 Mobile and Cloud Solutions: Epson Connect Features:Epson iPrint, Epson Email Print, Remote Print Driver Other Mobile Solutions:Apple AirPrint, Epson Smart Panel, Mopria Print Service</p> <p>Supported OS and Applications: Operating System</p> <p>Compatibility:Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 / 2019Only printing functions are supported for Windows Server OS Mac OS X 10.6.8 or later</p>				
--	--	--	--	--	--	--

		<p>Noise Level: PC Printing/ Premium Glossy Photo Paper Best Photo:Sound Power (Black / Colour) 5.1 / 5.1 B(A), Sound Pressure (Black / Colour) 38 dB(A) / 38 dB(A) PC Printing / Plain Paper Default*4:Sound Power (Black / Colour) 6.3 B(A) / 6.2 B(A), Sound Pressure (Black / Colour) 51 dB(A) / 48 dB(A) Dimensions and Weight: Dimensions (W x D x H):375 x 347 x 237 mm Weight:5.0 kg Electrical Specifications: Rated Voltage:AC 220 – 240 V Rated Frequency:50 – 60 Hz Operating:12 W Sleep:0.7 W Power Off:0.2 W Standby:4.5 W Control Panel: LCD Screen:1.44" Colour LCD</p>				
37	piece	<p>PAPER SHREDDER, CD Capable shredder Shreds 10 sheets per pass into 4x35mm cross-cut particles (Security Level P-4) 23 litre bin with lift-off head Shreds staples, small paper clips, credit cards and CDs</p>	2	10,000.00	20,000.00	PIMD-1, CASH -1
38	piece	<p>Patch Cord, Specs : Belden Cat6 Patch Cord 1meter</p>	30	380.00	11,400.00	ABGS

39	piece	PORTABLE DOCUMENT SCANNER, Scanner Type:A4 sheet-fed colour scannerSensor Type:Contact Image Sensor (CIS)Scanning Method:Fixed document and moving carriageLight Source:RGB LEDOptical Resolution:600 x 600 dpiOutput Resolution:50 - 1,200 dpi (in 1 dpi increments)Scanner Bit Depth (Colour):48-bit input, 24-bit outputScanner Bit Depth (Grayscale):16-bit input, 8-bit outputScanner Bit Depth (Black & White):16-bit input, 1-bit outputMin Document Size:50.8 x 50.8 mmMax Document Size:216 x 1,828.8 mmSupported Paper Weight:35 - 270 g/m2ADF Capacity:1 sheetDaily Scan Volume:Up to 300 sheets / dayInterface:USB 2.0 (Micro-B) Resolution (Colour / Monochrome):200dpi: 5.5sec300dpi: 5.5sec600dpi: 9.0secSupported OS:Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016Mac OS X 10.6.8 or laterBundled Applications:Epson ScanSmartFile Format:Epson ScanSmart: JPEG, PDF, Searchable PDF, DOCX, XLSX, PPTX*3	3	7,000.00	21,000.00	ABGS-1, HRMS-1, OED/ODED -1
40	piece	Portable Projector Screen with stand, 100"x100" (Adjustable screen height, Matte White Material with 1 inch black borders on side, Rust-proof steel plate tripod)	1	5,000.00	5,000.00	RPS

41	piece	<p>Portable Speaker with microphone Type: Indoor, Outdoor Audience Size:100 Microphone Included: Yes Portable: Yes Model Name: 12 Inches Portable Multimedia Trolley Speaker with 2 Wireless Microphones Remote and Built-in Amplifier Battery Bluetooth Usb Radio Fm Sd Card Aux Input Suitable For indoor parties, outdoor parties, pool parties, religious occasions, school events, festival celebrations Microphone Form Factor: Wireless Technology Used: Super Speakers Color: Black Material: Wooden Plastic Box, Metal Grill Connectivity Features Number of Microphone Input:1 Number of Stereo Output:1 Nuner of Stereo Input:1 Number of RCA Jacks Present:2 Memory Card Slot Type: SD card Bluetooth: Yes</p>	1	8,000.00	8,000.00	LECS
		<p>USB Port: 1 Wireless: Yes Other Connectivity Features: Radio FM Dimensions Speaker Height:23 inch Speaker Width:14 inch Speaker Depth:13.5 inch Weight:7.8 kg Woofer Height:12 inch</p>				
42	piece	POWERBANK, 30,000mah	19	2,950.00	56,050.00	CBED-8, BES-2,GSS- 6, REC-3
43	piece	POWERBANK, slim-type, 10,000mah	2	2,625.00	5,250.00	ACS
44	piece	POWERBANK, slim-type, 20,000mah	6	2,625.00	15,750.00	SEPS-2, BES-2, PDIS-2

45	piece	<p>PRINTER TYPE:PRINT, SCAN, COPY, FAX, ADF COLOR: Black/ Color PRINTING TECHNOLOGY: Piezoelectric Print head PRINT DIRECTION: 2 side PRINT SPEED: 33.0ppm/15.0ppm MAX PRINT RESOLUTION: 5760 x 1440 dpi MAX COPY STANDALONE: 99 copies COPY SPEED: 7.7 ipm/ 3.8ipm MAX COPY SIZE: Legal SCANNING: flatbed CIS SCAN RESO: 1200 x 2400dpi NETWORK: Ethernet, WI-FI IEEE 802.11b/g/n, Wi-Fi Direct MOBILE CLOUD PRINTING: Smart Panel, apple airPrint, Morpia Print Service Approx. DIMENSION: 375x347x237mm Approx. WEIGHT:5kg LCD SCREEN: 1.44" Color LCD Screen Operating System Compatibility: Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 / 2019 Mac OS X 10.6.8 or later</p>	6	14,950.00	89,700.00	AI-1, HRMS-1, LECS-1, PSNS-1, MLO-1, GP- 1
46	unit	<p>Camera-Mount Wireless Omni Lavalier Microphone System (A: 516 to 558 MHz) Transmission Type: UHF Wireless - Polar pattern (built-in microphone): omnidirectional - Builtin mic frequency response: 80hz-16khz - External microphone frequency response: 50hz- 18khz - Maximum output level: +2.2dbu - Maximum spl: 100db spl (1khz @ 1m) - Thd + n: 0.4% - Without light: 82db - Power: built-in li-po battery 350ma/3.7v 2pcs - Charging port: USB-C, dc 5v 1a max - Battery life: up to 30 hours - Audio input: 3.5mm TRS lavalier microphone input (transmitter) - Audio output: 3.5mm TRS (receiver)</p>	1	40,000.00	40,000.00	ACS

47	piece	<p>TELEPHONE with Digital Screen HD Voice 3-Line Backlight LCD Display 12 x 2 Self- Labelling Flexible CO Buttons with Backlight LCD Display Full Duplex Speakerphone 2 Gigabit Ethernet/PoE EHS support Main LCD Display (Lines/Characters): 3/24 LCD Backlight: Yes Flexible CO Keys: 2x2 Self- Labelling: Yes Navigator Keys: Yes Soft Keys: 4 Call Log Incoming/Outgoing Calls: Yes / Yes Ethernet Port: 2-Port [GbE] (10/100/1000Mbps) Power over Ethernet (PoE): Yes AC Adaptor: Option Speakerphone: Yes (Full Duplex) Headset Port: Yes Electric Hook Switch (EHS) : Yes Built-in Bluetooth@Eco Mode: Yes Wall Mountable: Option Dimensions (mm) (Width x Depth x Height): High Position 267x170x180/ Low Position 267x187x155 Weight (g): 1180</p>	9	4,000.00	36,000.00	RDD-1, GSS-2, PIMD-2, CASH-2, OED/OED -2
----	-------	--	---	----------	-----------	--

48	unit	<p>True Wireless Earbuds</p> <p>Driver size: 8 mm/ 0.315” Dynamic Driver Power supply: 5 V 1 A Weight: 47.5 g/ 0.105 lbs Headset battery type: Lithium-ion Battery (48 mAh/ 3.7 V) Charging case battery type: Lithium-ion Battery(500 mAh/ 3.7 V) Charging time: 2 hrs from empty Music playtime with BT on: up to 5 hrs Frequency response: 20 Hz – 20 kHz Impedance: 16 ohm Sensitivity: 108dB SPL@1 kHz Maximum SPL: 93 dB Microphone sensitivity: -38 dBV/Pa @1 kHz Bluetooth version: 5.0 Bluetooth profile version: A2DP V1.3, AVRCP V1.6, HFP V1.7 Bluetooth transmitter frequency range: 2.400 GHz - 2.4835 GHz Bluetooth transmitter power: 12 dBm Bluetooth transmitter modulation: GFSK, $\pi/4$ QPSK, 8DPSK Maximum operation temperature: 45°C</p>	3	5,000.00	15,000.00	BUD
49	piece	UPS Back-UPS 1500-2000VA, 230V, Universal Sockets	12	14,500.00	174,000.00	ICTS-10, ABGS-2
50	piece	UPS Back-UPS 650VA, 230V, Universal Sockets	6	3,400.00	20,400.00	OPER-2, AI-1, GSS-2, ACS-1
51	box	UTP CAT6 NON PLENUM 7814A 008(BLUE) A1000FT 305MTR	10	14,000.00	140,000.00	ICTS
52	piece	WEB CAMERA, 1080p, USB type	6	2,600.00	15,600.00	SEPS-1, ABGS-5
53	piece	CABLE, HDMI to VGA adapter	23	450.00	10,350.00	ICTS-20, PDIS-1, GSS-1, RDD-1
54	piece	CABLE, Apple HDMI to DVI (for Macbook) (Single-Link DVI-1920 by 1200 resolution, Compatible with Mac systems with built-in HDMI)	1	2,000.00	2,000.00	RPS
55	piece	CABLE, HDMI to HDMI	2	1,950.00	3,900.00	RDD-1, GSS-1
56	piece	CABLE, VGA cable, 1.5M High Quality	20	250.00	5,000.00	ICTS

TOTAL	1,975,000.00
--------------	---------------------

End-user : various
Delivery Terms : 60 days upon receipt of Notice to Proceed

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>

Specifications					Statement of Compliance (Comply or Not Comply)
	Unit	General Description	Qty	End-user	
1	piece	1TB NV1 SNVS/1000G NVME M.2 PCIe SOLID STATE DRIVE	10	ICTS	
2	piece	250GB SKC2500M8 M.2 NVME PCIE SSD	10	ICTS	
3	piece	480GB A400 Sata3 2.5-inch SSD SA400S37 for Computer Desktop PC and Laptop	10	ICTS	
4	piece	8 port 10/100 Desktop Switch	10	ICTS	
5	piece	AC1300 Dual Band Wi-Fi Router with MU-MIMO and Parental Controls	15	ICTS	
6	piece	AVR, 3000VA, Heavy duty, w/ 140V-250V	1	CASH	
7	piece	AVR, 5000W WITH METER, Heavy duty w/ 110-240V	5	ABGS	
8	unit	AVR, 5Kva Automatic Voltage Regulator 5000W Servo Motor W/ Time Delay Specifications: 5KVA 5000VAAC Automatic Voltage Regulator. Maximum Power Output: 5000VA. Servo Motor Control. Input Voltage: 190-250V AC. Output voltage: 110V & 220V AC. Single Phase, 60Hz. Premium Quality. 100% Pure Copper Wire Motor	4	BES	

	9	piece	<p>Bluetooth headset</p> <p>Bluetooth compliance Bluetooth version 4.0</p> <p>Paired devices Up to 8, connected to two at the same time (MultiUse™)</p> <p>Supported Bluetooth profiles A2DP(v1.2), Hands Free Profile (v1.6), Headset profile(v1.2),Phone book access profile (v1.0)</p> <p>Supported modes EDR (2 and 3 Mb), SCO, eSCO, sniff mode</p> <p>Security 128 bit encryption</p> <p>Operating range when connected to mobile phone 10 meters (33 feet). When connected to USB dongle 30 meters (98 feet) range to PC*</p> <p>Talk time Up to 6 hours</p> <p>Standby time Up to 10 days</p> <p>Charging time Approximately 2 hours</p> <p>Wearing style In-ear wearing style</p> <p>Weight 7.9 g (0.28 oz) Headset only</p> <p>Dimensions, main unit L 64.9mm x W 15.3mm x H 24.9mm</p> <p>Microphone SLR = 14 dB +/- 3 dB</p> <p>4 mm omni-directional microphone, 300-3.400 Hz</p> <p>Speaker RLR = -2 dB +/- 3 dB</p> <p>32 Ω</p> <p>Operating temperature -10° C to 55° C (14 F to 131 F)</p>	20	OPER-7, RPS-2, CASH-1, MLO-2, AI-3, GSS-5,	
			<p>Storage temperature -20° C to 70° C (-4 F to 158 F)</p> <p>AC power supply 100-240 V, 50-60 Hz</p> <p>Charging plug dimensions 5 PIN micro USB / B Type / W 8.7 x L 5.0 x H 2.4 mm (W 0.34 x L 0.2 x H 0.1 in)</p> <p>materials Polycarbonate (PC), Polycarbonate + acryl butadien styren (PC + ABS), Silicon Rubber</p> <p>Pairing passkey or PIN 0000</p> <p>Features Answer call, end call, reject call*, voice dialling*, last number redial*, volume control, status display™ displaying connection and battery status, voice guidance, multiuse™</p> <p>What's in the box? 1 headset, 2 sets of ultimate comfort eargels™, 2 size earhooks, 1 quick start guide, 1 warranty leaflet and 1 register paper, 1 USB dongle</p> <p>Certification Bluetooth 4.0, CE, FCC, IC, GOST, RoHS, REACH</p>			
	10	piece	<p>Bluetooth Speaker</p> <p>Bluetooth 4.0 or higher, Speaker phone function, water resistant (atleast IPX5), AUX input, TWS Function, Battery life : atleast 10 hours, suitable for office use</p>	6	RDD-1, PDIS-1, LCES-4	

11	piece	Bluetooth Speaker Portable Wireless Speaker with Rich Bass & 6W HD Sound Bluetooth Version: v5.0 Bluetooth Profiles: HFP, A2DP Battery Capacity: 1200mAh Battery Type: Lithium-Ion Power Input: DC 5V Speaker Output: 3W*2 Impedance: 4Ω Operating Distance: 10m Music Playback Time: 2-3 Hours Charging Time: 3-4 Hours	6	GSS
12	piece	EXTENSION CORD, 4 flat outlet with ground 5 meters cord, voltage surge protector, extension wire cable reel	9	RDD-1, RPS-2, SEPS-1, PSNS-1, GSS-4
13	piece	EXTENSION CORD, 6 flat outlet with ground, 5 meters cord, voltage surge protector, Extension wire cable reel	15	OPER-1, RPS-3, OED/ODED-3, MLO-3, AI-1, GSS-4
14	piece	EXTENSION WHEEL. 15 Meter Cord	7	MLO-3, ABGS-1, GSS-2, PSNS-1
15	piece	FLASH DRIVE, 16GB, USB 3.0, OTG/Dual	87	RDD-2, OED/ODED-5, LECS-80
16	piece	FLASH DRIVE, 32GB, USB 3.0 OTG/Dual	13	RPS-2, PDIS-4, MLO-2, GP-5
17	piece	FLASH DRIVE, 64GB, USB 3.0 OTG/Dual	12	SEPS-1, GSS-6, LECS-5
18	pcs	Gimbal for DSLR Camera Gimbal Load Capacity 6.6 lb / 3 kg Number of Axes 3-Axis (Pitch, Roll, Yaw) Rotation Range Yaw (Pan): 360° Pitch (Tilt): -240 to 95° Roll: -112 to 214° Connectivity Inputs/Outputs 3 x USB Type-C Wireless Frequency 2.4 GHz (2.4 - 2.483) Wireless Protocol Bluetooth 5.0 Battery Battery Type 2 x 18650 Battery Capacity 3400 mAh / 24.48 Wh Battery Runtime 14 Hours Environmental Operating Temperature -4 to 113°F / -20 to 45°C General Materials Aluminum Mounting 1 x 1/4"-20 Female 1 x Cold Shoe Mount 2 x NATO Rail 4 x M4 Female Dimensions 15.7 x 7.3 x 6.9" / 40 x 18.5 x 17.5 cm 10.2 x 8.3 x 3" / 26 x 21 x 7.5 cm (Folded) Weight 2.681 lb / 1.216 kg (without Battery) 2.906 lb / 1.318 kg (with Camera Plate) Packaging Info Package Weight 4.95 lb Box Dimensions (LxWxH) 12.3 x 11 x 4.2"	1	ACS

19	unit	Graphic illustration drawing tablet Wacom DTC133W0A with screen, 13.3 Inch Graphics Display for art and animation beginners, brandwacom, color black and white	1	ACS
20	unit	Hard drive 2.5-inch consumer drives typically spin at 4200, 5200, 5400 and 7200 RPMs	2	ACS
21	piece	HARD DRIVE/DISK, external, portable, 2TB, USB 3.0	11	ICTS-4, RDD-2, PDIS-2, MLO-2, GP-1
22	piece	HARD DRIVE/DISK, external, portable, 4TB, USB 3.0	4	LECS
23	piece	Headphones, Noise Cancellation / Reduction, Noise Isolating, Built-in Microphone, Answer / End Call, Volume Control, Precision, High Resolution, Audio Quality	6	SEPS-2, BES-4
24	piece	KEYBOARD Wireless	15	SEPS-2, OED/ODED-5, MLO-2, GSS-6
25	piece	LAMINATING machine heavy duty Laminating Speed: 50Hz:460mm/min, 60Hz:560mm/min Laminating Width: 230mm Laminating Films: 75mic~250mic Thickness of substrate(Paper): 80g/nf ~250g/nf Power Requirements: 220~240V, 50/60Hz Power Consumption: 470W, 2.0A Heating System: Heat Plate (Ruthnox) Operating Temperature: 150 Max. Speed Control: Fixed Temperature Control: Knob & Volume Dimensions(WxLxH): 425 x 185 x 95mm Type of Main Motor: Synchronous Motor-S	1	LECS

26	unit	<p>Laptop</p> <p>Operating System: Windows 11 Home - ASUS recommends Windows 11 Pro for business</p> <ul style="list-style-type: none"> • Office: Office Home and Student 2021 included • LCD cover-material: Aluminum • LCD cover-color: Indie Black • Top case-material: Plastic • Top case-color: Indie Black • Bottom case-material: Plastic • Bottom case-color: Indie Black • Panel Size: 15.6-inch • Resolution: FHD (1920 x 1080) OLED 16:9 aspect ratio • Backlit: LED Backlit • Response time: 0.2ms response time • Peak Brightness: 600nits peak brightness • Color gamut: 100% DCI-P3 color gamut • Contrast ratio: 1,000,000:1 	2	PDIS	
		<p>VESA CERTIFIED Display HDR: VESA CERTIFIED Display HDR True Black 600</p> <ul style="list-style-type: none"> • Color depth: 1.07 billion colors • Pantone: PANTONE Validated • Glare: Glossy display • Low blue light: 70% less harmful blue light • SGS Eye Care Display: SGS Eye Care Display • Screen-to-body ratio: 85 % • Processor: Intel® Core™ i5-1135G7 Processor 2.4 GHz (8M Cache, up to 4.2 GHz, 4 cores) • Discrete/Share: Share • Intergrated: GPU Intel Iris X® Graphics (available for Intel® Core™ i5/i7/i9 with dual channel memory) • How to upgrade memory: "Upgradable" <ul style="list-style-type: none"> • Need to remove bottom/top case" • Expansion Slot(includes used): 1x DDR4 SO-DIMM slot <ul style="list-style-type: none"> • 1x M.2 2280 PCIe 3.0x2 • 1x STD 2.5" SATA HDD" • Total System Memory: 4GB DDR4 on board + 4GB DDR4 SO-DIMM • On board memory: 4GB DDR4 on board • DIMM Memory: 4GB DDR4 SO-DIMM • Storage: 512GB M.2 NVMe™ PCIe® 3.0 SSD • Front-facing camera: 720p HD camera • Wireless: Wi-Fi 6(802.11ax)+Bluetooth 5.0 (Dual band) 2*2 			

		<ul style="list-style-type: none"> • FingerPrint: FingerPrint • I/O ports: "1x USB 3.2 Gen 1 Type-A • 1x USB 3.2 Gen 1 Type-C • 2x USB 2.0 Type-A//1x HDMI 1.4 • 1x Headphone out//Micro SD card reader • Micro SD 4.0 card reader" <p>Audio: "Audio by ICEpower®</p> <ul style="list-style-type: none"> • Built-in speaker • Built-in microphone//harman/kardon (Mainstream)" • Voice control: with Cortana support • AC Adapter: ø4.0, 65W AC Adapter, Output: 19V DC, 3.42A, 65W, Input: 100~240V AC 50/60Hz universal • Battery: 42WHrs, 3S1P, 3-cell Li-ion • Replaceable Battery: No • Keyboard type: Backlit Chiclet Keyboard with Num-key • Security: BIOS Booting User Password Protection • Trusted Platform Module (Firmware TPM) <p>DIMENSIONS</p> <ul style="list-style-type: none"> • 35.90 x 23.50 x 1.79 ~ 1.79 cm • Weight (with Battery): 1.80 kg • Weight (without Battery): 1.70 kg 			
27	piece	<p>Laptop</p> <ul style="list-style-type: none"> -Color: Cool Silver -Operating System: Windows 10 Home - ASUS recommends Windows 10 Pro for business -Processor: Intel® Core™ i5-11300H Processor 3.1 GHz (8M Cache, up to 4.4 GHz, 4 cores) -Display: 14.0-inch, 2.8K (2880 x 1800) OLED 16:10 aspect ratio, 0.2ms response time, 90Hz refresh rate, 600nits peak brightness, 100% DCI-P3 color gamut, 1,000,000:1, VESA CERTIFIED Display HDR True Black 600, 1.07 billion colors, PANTONE Validated, Glossy display, 70% less harmful blue light, SGS Eye Care Display, Screen-to-body ratio: 84 % -Memory: Total system memory:8GB -Storage: 512GB M.2 NVMe™ PCIe® 3.0 SSD -I/O Ports: 1x USB 3.2 Gen 1 Type-A -2x USB 2.0 Type-A -1x Thunderbolt™ 4 supports display / power delivery -1x HDMI 1.4 -1x 3.5mm Combo Audio Jack -1x DC-in -Micro SD card reader '-Keyboard & Touchpad: Backlit Chiclet 	1	CBED	

		Keyboard -35mm Key-travel -Camera: 720p HD camera -With privacy shutter		
28	piece	Laptop Cooling pad, with fan, materials plastic	7	OED/ODED-3, GSS-4
29	UNIT	LAPTOP, Lightweight Operating System Windows 10 Professional 64bit CPU and Chipset Intel Core i5 1135G7 Based Clock Speed 2.40GHZ, 8MB Cache, 4-Physical Cores, 8 Threads, Turbo Core Speed 4.20GHZ, 11th Generation Memory 16GB (1x16GB) DDR4 2666MHZ, Two (2) Memory Slots, Expandable Up to 32GB Display 14.0" display with IPS (In-Plane Switching) technology, Full HD 1920 x1080, high- brightness Acer ComfyView LED-backlit TFT LCD 16:9 aspect ratio, Wide viewing angle up to 170 degrees, Mercury free, environment friendly Graphics Intel® Iris® Xe Graphics Audio Two built-in stereo speakers, Built-in microphone Storage 512GB PCIe NVMe SSD Webcam 720p (1280 x 720 resolution) Wireless and networking LAN: Gigabit Ethernet 10/100/1000, Wake-on-LAN ready WLAN: 802.11a/b/g/n/ac/ax Dual Band (2.4GHz and 5GHz) 2x2 MU-MIMO technology Supports Bluetooth® 5.1 Dimensions 325 (W) x 236 (D) x 17.9 (H) mm (12.8 x 9.29 x 0.7 inches)	4	RDD-1, REC-1, BDCU-1, IAS-1

		<p>Weight 1.4kg</p> <p>Power adapter 65W AC adapter</p> <p>Battery 56Wh 3-cell Li-ion battery</p> <p>Battery Life Up to 15 hours (based on MobileMark® 2014 test results)</p> <p>Input and Control Keyboard:</p> <p>FineTip Backlit keyboard with international language support (backlit pre-default inside the system)</p> <p>Touchpad:</p> <p>Multi-gesture touchpad, supporting two-finger scroll; pinch; gestures to open Cortana</p> <p>System Compliance Energy Star 8.0</p> <p>Color Dark Blue</p> <p>Warranty 3 Years Parts - 3 Years Labor Only with International Warranty 1 year warranty on battery</p> <p>Supplier shall respond within 24/7 Technical Assistance/Support Center which can provide response to technical issues via Telephone Call, E-mail or Site Visit (for NCR) upon verbal/written notification by the end-user agency</p> <p>Others Built in Security Software</p> <p>Accessories Laptop Bag</p>			
30	piece	LASER POINTER, wireless	2	AI	
31	piece	<p>LCD Projector, Gesture Presenter</p> <p>Multi-PC Projection</p> <p>2 x HDMI</p> <p>Split Screen</p> <p>WXGA Resolution</p> <p>White and Colour Light Output at 5,000 lumens</p>	1	LECS	
32	unit	Manage Network Switch, Specs : Aruba Instant On 1930 24G 4SFP/SFP+ Switch (JL682A)	1	ABGS	
33	piece	MOUSE Wireless	22	RDD-1, RPS-1, SEPS-2, ABGS-5, GSS-5, PDIS-2, BDCU-2, IAS-2, MLO-2	
34	unit	<p>MULTIMEDIA PROJECTOR, 4000 ANSI Lumens (min.)</p> <p>Optical System: Digital Light Projection (DLP)</p> <p>Light-Output-Bright / Eco (Lumens): Up to 4000</p> <p>Lamp Life: 8000 hours</p> <p>Data Input Signal: VGA to WUXGA</p> <p>Video Input Signal: NTSC, PAL, SECAM, SD, HD</p> <p>Image Input HDMI: 1.4x1, VGA x1, S-VIDEO x1</p> <p>Native Resolution: XGA (1024x768)</p> <p>Contrast Ratio: DLP: 2000:1 (min) 30000:1</p>	1	ACS	

		<p>Lens Type:Manual Zoom & Focus</p> <p>Accessories:</p> <ul style="list-style-type: none"> -With power cable -VGA cable -Remote control -CDs and User's Manual (Hard copy and Soft copy) -Carrying case -Wall or tripod screen (60x60) with warranty 			
35	box	Network Cable, Specs : Belden Cat6 Network Cable 305m/1000ft	2	ABGS	
36	unit	<p>PRINTER:</p> <p>Printer Type: Print, Scan, Copy, Fax with AD</p> <p>Printing Technology: Print Method:On-demand inkjet (Piezoelectric)</p> <p>Printer Language:ESC/P-R, ESC/P Raster</p> <p>Nozzle Configuration:180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow)</p> <p>Maximum Resolution:5760 x 1440 dpi</p> <p>Automatic 2-sided Printing:No</p> <p>Print Speed: Photo Default - 10 x 15 cm / 4 x 6 "</p> <p>*1:Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)*2</p> <p>Draft, A4 (Black / Colour):Up to 33 ppm / 15 ppm*2</p> <p>ISO 24734, A4 Simplex (Black / Colour):Up to 10 ipm / 5.0 ipm*2</p> <p>First Page Out Time from Ready Mode (Black / Colour):Approx. 10 sec / 16 sec*2</p> <p>Copying:</p> <p>Maximum Copies from Standalone:99 copies</p> <p>Reduction / Enlargement:25 - 400 %</p> <p>Maximum Copy Resolution:600 x 600 dpi</p> <p>Maximum Copy Size:Legal</p> <p>ISO 29183, A4 Simplex Flatbed (Black / Colour):Up to 7.7 ipm / 3.8 ipm</p>	1	CRYO	
<p>Scanning:</p> <p>Scanner Type:Flatbed colour image scanner</p> <p>Sensor Type:CISOptical Resolution:1200 x 2400 dpi</p> <p>Maximum Scan Area:216 x 297 mm</p> <p>Scanner Bit Depth (Colour):48-bit input, 24-bit output</p> <p>Scanner Bit Depth (Grayscale):16-bit input, 8-bit output</p> <p>Scanner Bit Depth (Black & White):16-bit input, 1-bit output</p> <p>Scan Speed:</p> <p>Scan Speed (Flatbed / ADF (Simplex)):200dpi, Black: 12 sec / Up to 4.5 ipm</p> <p>200dpi, Colour: 29 sec / Up to 4.5 ipm</p> <p>ADF Specifications:</p> <p>Support Paper Thickness:64 - 95 g/m2</p> <p>Paper Capacity:30 pages (A4), 10 pages (Legal)</p> <p>Fax Function:</p> <p>Type Of Fax:Walk-up black-and-white and colour fax capability</p> <p>Receive Memory / Page Memory:1.1 MB, Page memory up to 100 pages</p> <p>Error Correction Mode:ITU-T T.30</p> <p>Fax Speed (Data Transfer Rate):Up to 33.6 kbps, Approx. 3 sec/page</p>					

Fax Resolution:Up to 200 x 200 dpi
Transmission Paper Size (Flatbed):Letter, A4
Transmission Paper Size (ADF):A4, Letter, 8.5 x 13", Legal, Oficio 9, Mexico-Oficio, Indian-Legal
Receiving Paper Size:A4, Letter, Legal
Speed Dial / Group Dial:Up to 100 numbers, 99 groups
Fax Features:PC Fax (Transmission / Receive

Paper Handling:
Number of Paper Trays:1
Standard Paper Input Capacity:Up to 100 sheets of Plain paper (80 g/m2)
Up to 20 sheets of Premium Glossy Photo Paper
Output Capacity:Up to 30 sheets of Plain Paper (80 g/m2)
Up to 20 sheets Premium Glossy Photo Paper Maximum Paper Size:215.9 x 1200 mmPaper Size:Legal (8.5 x 14"),
Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6",
Envelopes: #10, DL, C6
Print Margin:0 mm top, left, right, bottom via custom settings in printer driver *3
Mobile and Cloud Solutions:
Epson Connect Features:Epson iPrint, Epson Email Print, Remote Print Driver
Other Mobile Solutions:Apple AirPrint, Epson Smart Panel, Mopria Print Service
Supported OS and Applications:
Operating System Compatibility:Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10
Windows Server 2003 / 2008 / 2012 / 2016 / 2019Only printing functions are supported for Windows Server OS
Mac OS X 10.6.8 or later
Noise Level:
PC Printing/ Premium Glossy Photo Paper Best Photo:Sound Power (Black / Colour) 5.1 / 5.1 B(A), Sound Pressure (Black / Colour) 38
dB(A) / 38 dB(A)
PC Printing / Plain Paper Default*4:Sound Power (Black / Colour) 6.3 B(A) / 6.2 B(A),
Sound Pressure (Black / Colour) 51 dB(A) / 48 dB(A)
Dimensions and Weight:
Dimensions (W x D x H):375 x 347 x 237 mm
Weight:5.0 kg
Electrical Specifications:
Rated Voltage:AC 220 – 240 V
Rated Frequency:50 – 60 Hz
Operating:12 W
Sleep:0.7 W
Power Off:0.2 W
Standby:4.5 W
Control Panel:
LCD Screen:1.44" Colour LCD

37	piece	PAPER SHREDDER, CD Capable shredder Shreds 10 sheets per pass into 4x35mm cross-cut particles (Security Level P-4) 23 litre bin with lift-off head Shreds staples, small paper clips, credit cards and CDs	2	PIMD-1, CASH -1
38	piece	Patch Cord, Specs : Belden Cat6 Patch Cord 1meter	30	ABGS

39	piece	PORTABLE DOCUMENT SCANNER, Scanner Type:A4 sheet-fed colour scanner Sensor Type:Contact Image Sensor (CIS) Scanning Method:Fixed document and moving carriage Light Source:RGB LEDOptical Resolution:600 x 600 dpi Output Resolution:50 - 1,200 dpi (in 1 dpi increments) Scanner Bit Depth (Colour):48-bit input, 24-bit output Scanner Bit Depth (Grayscale):16-bit input, 8-bit output Scanner Bit Depth (Black & White):16-bit input, 1-bit output Min Document Size:50.8 x 50.8 mm Max Document Size:216 x 1,828.8 mm Supported Paper Weight:35 - 270 g/m2 ADF Capacity:1 sheet Daily Scan Volume:Up to 300 sheets / day Interface:USB 2.0 (Micro-B) Resolution (Colour / Monochrome):200dpi: 5.5sec	3	ABGS-1, HRMS-1, OED/ODED-1	
300dpi: 5.5sec 600dpi: 9.0sec Supported OS:Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 Mac OS X 10.6.8 or later Bundled Applications:Epson ScanSmartFile Format:Epson ScanSmart: JPEG, PDF, Searchable PDF, DOCX, XLSX, PPTX*3					
40	piece	Portable Projector Screen with stand, 100"x100" (Adjustable screen height, Matte White Material with 1 inch black borders on side, Rust-proof steel plate tripod)	1	RPS	
41	piece	Portable Speaker with microphone Type: Indoor, Outdoor Audience Size:100 Microphone Included: Yes Portable: Yes Model Name: 12 Inches Portable Multimedia Trolley Speaker with 2 Wireless Microphones Remote and Built-in Amplifier Battery Bluetooth Usb Radio Fm Sd Card Aux Input Suitable For indoor parties, outdoor parties, pool parties, religious occasions, school events, festival celebrations Microphone Form Factor: Wireless Technology Used: Super Speakers Color: Black Material: Wooden Plastic Box, Metal Grill Connectivity Features Number of Microphone Input:1 Number of Stereo Output:1 Numer of Stereo Input:1	1	LECS	

		Number of RCA Jacks Present:2 Memory Card Slot Type: SD card Bluetooth: Yes		
		USB Port: 1 Wireless: Yes Other Connectivity Features: Radio FM Dimensions Speaker Height:23 inch Speaker Width:14 inch Speaker Depth:13.5 inch Weight:7.8 kg Woofers Height:12 inch		
42	piece	POWERBANK, 30,000mah	19	CBED-8, BES-2,GSS-6, REC-3
43	piece	POWERBANK, slim-type, 10,000mah	2	ACS
44	piece	POWERBANK, slim-type, 20,000mah	6	SEPS-2, BES-2, PDIS-2
45	piece	PRINTER TYPE:PRINT, SCAN, COPY, FAX, ADF COLOR: Black/ Color PRINTING TECHNOLOGY: Piezoelectric Print head PRINT DIRECTION: 2 side PRINT SPEED: 33.0ppm/15.0ppm MAX PRINT RESOLUTION: 5760 x 1440 dpi MAX COPY STANDALONE: 99 copies COPY SPEED: 7.7 ipm/ 3.8ipm MAX COPY SIZE: Legal SCANNING: flatbed CIS SCAN RESO: 1200 x 2400dpi NETWORK: Ethernet, WI-FI IEEE 802.11b/g/n, Wi-Fi Direct MOBILE CLOUD PRINTING: Smart Panel, apple airPrint, Morpia Print Service Approx. DIMENSION: 375x347x237mm Approx. WEIGHT:5kg LCD SCREEN: 1.44" Color LCD Screen Operating System Compatibility: Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 / 2019 Mac OS X 10.6.8 or later	6	AI-1, HRMS-1, LECS-1, PSNS-1, MLO-1, GP-1

46	unit	<p>Camera-Mount Wireless Omni Lavalier Microphone System (A: 516 to 558 MHz) Transmission Type: UHF Wireless - Polar pattern (built-in microphone): omnidirectional - Builtin mic frequency response: 80hz-16khz - External microphone frequency response: 50hz-18khz - Maximum output level: +2.2dbu - Maximum spl: 100db spl (1khz @ 1m) - Thd + n: 0.4% - Without light: 82db - Power: built-in li-po battery 350ma/3.7v 2pcs - Charging port: USB-C, dc 5v 1a max - Battery life: up to 30 hours - Audio input: 3.5mm TRS lavalier microphone input (transmitter) - Audio output: 3.5mm TRS (receiver)</p>	1	ACS	
47	piece	<p>TELEPHONE with Digital Screen HD Voice 3-Line Backlight LCD Display 12 x 2 Self-Labeling Flexible CO Buttons with Backlight LCD Display Full Duplex Speakerphone 2 Gigabit Ethernet/PoE EHS support Main LCD Display (Lines/Characters): 3/24 LCD Backlight: Yes Flexible CO Keys: 2x2 Self-Labeling: Yes Navigator Keys: Yes Soft Keys: 4 Call Log Incoming/Outgoing Calls: Yes / Yes Ethernet Port: 2-Port[GbE] (10/100/1000Mbps) Power over Ethernet (PoE): Yes AC Adaptor: Option Speakerphone: Yes (Full Duplex) Headset Port: Yes Electric Hook Switch (EHS) : Yes Built-in Bluetooth® Eco Mode: Yes Wall Mountable: Option Dimensions (mm) (Width x Depth x Height): High Position 267x170x180/ Low Position 267x187x155 Weight (g): 1180</p>	9	RDD-1, GSS-2, PIMD-2, CASH-2, OED/ODED-2	

48	unit	<p>True Wireless Earbuds</p> <p>Driver size: 8 mm/ 0.315" Dynamic Driver Power supply: 5 V 1 A Weight: 47.5 g/ 0.105 lbs Headset battery type: Lithium-ion Battery (48 mAh/ 3.7 V) Charging case battery type: Lithium-ion Battery(500 mAh/ 3.7 V) Charging time: 2 hrs from empty Music playtime with BT on: up to 5 hrs Frequency response: 20 Hz - 20 kHz Impedance: 16 ohm Sensitivity: 108dB SPL@1 kHz Maximum SPL: 93 dB Microphone sensitivity: -38 dBV/Pa @1 kHz Bluetooth version: 5.0 Bluetooth profile version: A2DP V1.3, AVRCP V1.6, HFP V1.7 Bluetooth transmitter frequency range: 2.400 GHz - 2.4835 GHz Bluetooth transmitter power: 12 dBm Bluetooth transmitter modulation: GFSK, $\pi/4$ QPSK, 8DPSK Maximum operation temperature: 45°C</p>	3	BUD
49	piece	UPS Back-UPS 1500-2000VA, 230V, Universal Sockets	12	ICTS-10, ABGS-2
50	piece	UPS Back-UPS 650VA, 230V, Universal Sockets	6	OPER-2, AI-1, GSS-2, ACS-1
51	box	UTP CAT6 NON PLENUM 7814A 008(BLUE) A1000FT 305MTR	10	ICTS
52	piece	WEB CAMERA, 1080p, USB type	6	SEPS-1, ABGS-5
53	piece	CABLE, HDMI to VGA adapter	23	ICTS-20, PDIS-1,GSS-1,RDD-1
54	piece	CABLE, Apple HDMI to DVI (for Macbook) (Single-Link DVI-1920 by 1200 resolution, Compatible with Mac systems with built-in HDMI)	1	RPS
55	piece	CABLE, HDMI to HDMI	2	RDD-1, GSS-1
56	piece	CABLE, VGA cable, 1.5M High Quality	20	ICTS

Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence.

Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection.

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS

The Technical Component shall contain the following documents listed below. Kindly put tab markings/dog-ear codes on each of the requirements and arrange the documents in proper order.

Bidders are encouraged to submit the Technical and Financial Documents in three (3) copies for the following purposes:

1. **Original Copy** – reference of the BAC during the Opening of Bids/Evaluation and to be attached to the payment/voucher of the contractor/supplier
2. **Copy No. 1** - reference of the Technical Working Group for the Post-qualification
3. **Copy No. 2** – sealed copy to be provided to the Commission on Audit after the Opening of Bids

ANY discrepancy/insufficient or incomplete documents between the original and duplicate copies, the original shall prevail. Any document lacking in the bid envelope marked as ORIGINAL, the bid requirement will be marked as failed.

TECHNICAL COMPONENT (1st Envelope) please prepare in three (3) copies one original & two (2) duplicate copies (Copy No. 1 and Copy No. 2).


ELIGIBILITY AND TECHNICAL DOCUMENTS	
1	<p>Valid PhilGEPS Registration Certificate (Platinum Membership) including all pages of the updated Annex A OR</p> <p>Combination of the following:</p> <ul style="list-style-type: none"> ▪ Valid PhilGEPS Registration Certificate (Platinum Membership) ▪ SEC/DTI or CDA or its equivalent document ▪ Mayor’s or Business permit <i>[issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas]</i> ▪ Expired Business/Mayor’s permit with Official Receipt of renewal application is acceptable, subject to submission of Business/Mayor’s Permit after award of contract but before payment (GPPB Resolution 09-2020) ▪ Audited Financial Statements <i>[stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission]</i> ▪ Valid Tax Clearance
2	<p>Statement of All Ongoing Government and Private Contracts AND</p> <p>Statement of Single Largest Completed Contract (SLCC) similar to the contract to be bid within the last five (5) years supported by End-user’s certificate of acceptance OR Official Receipt(s) OR Sales Invoice issued for the completed project.</p>
3	<p>Computation of Net Financial Contracting Capacity (NFCC) at least equivalent to the total Approved Budget for the Contract (ABC) OR</p>

	Committed Line of Credit from Universal or Commercial Bank (10% of ABC) in lieu of its NFCC Computation.
4	Duly signed Joint Venture Agreement (JVA) if applicable OR Duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
5	Bid Security (any of the following): <ul style="list-style-type: none"> ▪ Notarized Bid Securing Declaration (with Project Identification No.) original and duly signed OR ▪ Cash or cashier's/manager's check issued by a Universal or Commercial Bank (2% of the total ABC) OR ▪ Surety Bond with certification issued by the Insurance Commission (5% of the total ABC)
6	Section VI Schedule of Requirements AND Section VII Technical Specifications <ul style="list-style-type: none"> ▪ State "comply" or "not comply" against each of the individual parameter of the item to offered. ▪ Attach brochure/manufacturer's un-amended sales literature/ unconditional statements of specifications and compliance issued by the manufacturer, samples, independent test data...etc. as appropriate. ▪ Conformity with the Technical Specifications which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable
7	Notarized Omnibus Sworn Statement (OSS) original and duly signed. <i>Attach Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable</i>

FINANCIAL COMPONENT (2nd Envelope) please prepare in three (3) copies one original & two (2) duplicate copies (Copy No. 1 and Copy No. 2)

	FINANCIAL DOCUMENTS
1	Financial Bid Form (original and duly signed)
2	Price Schedule for Goods from the Abroad/Philippines (original and duly signed)

SAMPLE GUIDE FOR SEALING AND MARKING OF BIDS (10 ENVELOPES)



FINANCIAL BID FORM FOR THE PROCUREMENT OF GOODS
[shall be submitted with the Bid]

Date: _____
Project Identification No.: _____

To: **PHILIPPINE CARABAO CENTER**
National Headquarters and Gene Pool
Science City of Muñoz, Nueva Ecija

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [*insert numbers*], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [*supply/deliver/perform*] [*description of the Goods*] in conformity with the said PBDs for the sum of [*total Bid amount in words and figures*] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address	Amount	Purpose of agent	Currency	Commission or gratuity
------------------	--------	------------------	----------	------------------------

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [*name of the bidder*] as evidenced by the attached [*state the written authority*].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

PRICE SCHEDULE FOR GOODS OFFERED FROM ABROAD
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page ___ of _____

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

PRICE SCHEDULE FOR GOODS OFFERED FROM WITHIN THE PHILIPPINES
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ___ of _____

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS
 (including awarded but not yet started, whether similar or not similar in nature)

Name of the Contract	Date of the Contract	Contract Duration	Owner's name and Address	Kinds of Goods	Amount of Contract and Value of Outstanding Contracts
(1)	(2)	(3)	(4)	(5)	(6)
TOTAL OF ALL ONGOING CONTRACTS					P

Note: If no ongoing contract, the bidder shall state "none".

Name of Company : _____
 Name and Signature of bidder/authorized signatory: _____
 Date Accomplished : _____

**STATEMENT OF SINGLE LARGEST COMPLETED CONTRACT (SLCC)
SIMILAR TO THE CONTRACT TO BE BID**
(at least **25%** of the ABC within the last five (5) years)

Name of the Contract	Date of the Contract	Contract Duration	Owner's name and Address	Kinds of Goods	Amount of Contract	Date of Delivery
(1)	(2)	(3)	(4)	(5)	(6)	(7)

Note: This Statement shall be supported by End-user's acceptance OR Official Receipt(s) OR Sales Invoice issued for the completed project.

Name of Company : _____
 Name and Signature of bidder/authorized signatory: _____
 Date Accomplished : _____

NET FINANCIAL CONTRACTING CAPACITY (NFCC)

The computation of a prospective bidder's NFCC must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

For purposes of computing the foreign bidders' NFCC, the value of the current assets and current liabilities shall be based on their audited financial statements prepared in accordance with international financial reporting standards.

	Amount
Current Assets	P
Less: Current Liabilities	P
Sub-Total	P
Multiplied by 15	P
Sub-Total	P
Less: Value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.	P
Net Financial Contracting Capacity (NFCC)	P

Name of Company : _____

Name and Signature of bidder/authorized signatory: _____

Date Accomplished : _____

(Name of Bank)
CREDIT LINE CERTIFICATE

Date: _____

DR. LIZA G. BATTAD

Executive Director

PHILIPPINE CARABAO CENTER

National Headquarters and Gene Pool

Science City of Muñoz, Nueva Ecija

Contract/Project : _____
Company/Firm : _____
Address : _____
Bank/Financing Institution : _____
Address : _____
Amount : _____

This is to certify that the above Bank/Financing Institution with business address indicated above, commits to provide the (Supplier/Distributor/Manufacturer/Contractor), if awarded the above-mentioned Contract, a credit line in the amount specified above which shall be exclusively used to finance the performance of the above-mentioned contract subject to our terms, conditions and requirements.

The credit line shall be available within fifteen (15) calendar days after receipt by the (Supplier/Distributor/Manufacturer/Contractor) of the Notice of Award and such line of credit shall be maintained until the project is completed by the Contractor.

This Certification is being issued in favor of said (Supplier/Distributor Manufacturer/ Contractor) in connection with the bidding requirement of **PHILIPPINE CARABAO CENTER** for the above-mentioned Contract. We are aware that any false statements issued by us make us liable for perjury.

This committed line of credit cannot be terminated or cancelled without the prior written approval of **PHILIPPINE CARABAO CENTER**.

Name and Signature of Authorized Financing Institution Office

Official Designation

Concurred By:

Name & Signature of (Supplier/Distributor/Manufacturer/Contractor's) Authorized Representative

Official Designation

BID SECURING DECLARATION FORM

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

X-----X

BID SECURING DECLARATION
Project Identification No. PB 2022-86

To: **PHILIPPINE CARABAO CENTER**
National Headquarters and Gene Pool
Science City of Muñoz, Nueva Ecija

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Iurat]
[Format shall be based on the latest Rules on Notarial Practice]

OMNIBUS SWORN STATEMENT
[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this _____ day of _____, 20 at _____ Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Iurat]

[Format shall be based on the latest Rules on Notarial Practice]

CONTRACT AGREEMENT FORM FOR THE PROCUREMENT OF GOODS

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of _____ 20____ between **PHILIPPINE CARABAO CENTER** of the Philippines (hereinafter called “the Entity”) of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called “the Supplier”) of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - i. Philippine Bidding Documents (PBDs);
 - a) Schedule of Requirements;
 - b) Technical Specifications;
 - c) General and Special Conditions of Contract; and
 - d) Supplemental or Bid Bulletins, if any
 - ii. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;
 - iii. Performance Security;
 - iv. Notice of Award of Contract; and the Bidder’s conforme thereto; and
 - v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

4. The **PHILIPPINE CARABAO CENTER** agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

LIZA G. BATTAD
Executive Director
PHILIPPINE CARABAO CENTER

[Name and Signature]
[Signatory's Legal Capacity]
[Name of Supplier/Company]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

